# Safety Data Sheet

## roductVision®

## according to OSHA Hazard Communication 29 CFR Part 1910.1200

## Section 1. Identification

Product Information:	72L-A031
Product Name:	BLUE W/B BIOSTRIPE® TRAFFIC PAINT
Recommended Use:	Liquid Paint
Application Method:	See Product Data Sheet
Supplied by:	Aexcel Corporation 7373 Production Drive. Mentor, OH 44060
Emergency Telephone:	Chemtrec: 800-424-9300
Safety Data Sheet Coordinator:	mmann@aexcelcorp.com

## Section 2. Hazard(s) identification

### EMERGENCY OVERVIEW: Skin and eye irritant.

**GHS Classification** STOT SE 2

#### Symbol(s) of Product



Signal Word Warning

#### **Possible Hazards**

3% of the mixture consists of ingredients of unknown acute toxicity

## **GHS HAZARD STATEMENTS**

STOT, single exposure, category 2	H371	May cause damage to organs.
GHS LABEL PRECAUTIONARY STATE	MENTS	
P251	Do not piero	e or burn, even after use.
P260	Do not breat	the dust/fume/gas/mist/vapours/spray.

Wash thoroughly after handling.

IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician. P309+P311 P501

Dispose of contents/container in accordance with local rules and regulations.

#### GHS SDS PRECAUTIONARY STATEMENTS

P270

P264

Do not eat, drink or smoke when using this product.

## Section 3. Composition/Information on ingredients

Chemical Name	<u>CAS-No.</u>	<u>Wt. %</u>	GHS Symbols	GHS Statem
ETHANOL 100%	64-17-5	2.5-10	GHS02-GHS07-	H225-302-3 <sup>2</sup>
			GHS08	

ments

315-319-335-336-370

The text for GHS Hazard Statements shown above (if any) is given in the "Other information" Section.

## Section 4. First-aid measures



FIRST AID - INHALATION: Move to fresh air. Oxygen or artificial respiration if needed.

FIRST AID - SKIN CONTACT: Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes.

FIRST AID - EYE CONTACT: Flush eye(s) immediately with plenty of water.

FIRST AID - INGESTION: Consult a physician. If a person vomits when lying on his back, place him in the recovery position. Never give anything by mouth to an unconscious person.

## Section 5. Fire-fighting measures

UNUSUAL FIRE AND EXPLOSION HAZARDS: Remove all sources of ignition.

SPECIAL FIREFIGHTING PROCEDURES: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

EXTINGUISHING MEDIA: Alcohol Foam, Carbon Dioxide, Dry Chemical, Foam

## Section 6. Accidental release measures

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED: Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal.

#### Section 7. Handling and storage



HANDLING: Containers of this material may be hazardous when emptied. Do not re-use empty containers. Keep away from food and drink. Keep out of reach of children.

STORAGE: Harmful - Store away from foodstuffs. Keep in a dry place. For Industrial Use Only

## Section 8. Exposure controls/personal protection

Ingredients with Occupational Exposure Limits				
<u>Chemical Name</u>	ACGIH TLV-TWA	ACGIH-TLV STEL	<u>OSHA PEL-TWA</u>	OSHA PEL-CEILING
ETHANOL 100%	1000	ND	1000	N.E.

Further Advice: MEL = Maximum Exposure Limit OES = Occupational Exposure Standard SUP = Supplier's Recommendation Sk = Skin Sensitizer N.E. = Not Established

#### Personal Protection



RESPIRATORY PROTECTION: In the case of respirable dust and/or fumes, use self-contained breathing apparatus.



SKIN PROTECTION: Impervious gloves.



EYE PROTECTION: Safety glasses with side-shields.



OTHER PROTECTIVE EQUIPMENT: Impervious clothing.



HYGIENIC PRACTICES: General industrial hygiene practice.

## Section 9. Physical and Chemical Properties

Boiling Range (F): Odor: Appearance: Solubility in Water: Freeze Point: Vapor Pressure (mm Hg): Physical State:	176 - 212 Characteristic Heavy Liquid NE NE 115 Liquid	( E S F	Vapor Dens Odor Thres Evaporation Specific Gra pH: Viscosity: Flash Point	shold: n Rate: avity:	1.6 NE 1.7 1.598 NE NE 100, °F 212	
(See section 16 for abbrevi	ation legend)					
CHEMICAL NAME	VAPOR DENSITY	EVAPORATION F	RATE B	BOILING POINT	<u>r</u> <u>VP mmHg</u>	<u>at DEG. F</u>
ETHANOL 100%	1.60	1.70	1	73	115	68
Section 10 Stability						

## Section 10. Stability and reactivity

STABILITY: Stable under normal conditions. Stable if used as directed.

CONDITIONS TO AVOID: Avoid contact with skin, eyes and clothing.

**INCOMPATIBILITY:** Incompatible with strong acids and oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS: No decomposition if stored and applied as directed.

## Section 11. Toxicological information



Practical Experiences

**EFFECT OF OVEREXPOSURE - INHALATION:** Inhalation may cause intense irritation to the respiratory tract (nose, mouth, mucous membranes).

**EFFECT OF OVEREXPOSURE - SKIN CONTACT:** Direct skin contact may cause moderate to severe irritation and possibly dermatitis. Local ventilation of emission sources may be necessary to maintain ambient concentrations below recommended exposure limits.

EFFECT OF OVEREXPOSURE - EYE CONTACT: Mist and vapors may cause eye irritation.

EFFECT OF OVEREXPOSURE - INGESTION: Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

CARCINOGENICITY: No Information

## Acute Toxicity Values The acute effects of this product have not been tested. Data on individual components are tabulated below:

CAS-No.	Name according to EEC	Oral LD50	Dermal LD50	Vapor LC50
64-17-5	ETHANOL 100%	N.I.	N.I.	N.I.

N.I. - No Information

## Section 12. Ecological information

ECOLOGICAL INFORMATION: Do not contaminate ponds, waterways or ditches with chemical or used container.

## Section 13. Disposal considerations



Product

DISPOSAL METHOD: Dispose of in accordance with all local, state and federal regulations.

**STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:** Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal.

## Section 14. Transport information

SPECIAL TRANSPORT PRECAUTIONS: No Information

DOT Proper Shipping
DOT Technical Name:
DOT Hazard Class:
DOT UN/NA Number:

Paint, Latex Paint Non-Hazardous Non-Regulated

- Packing Group: Hazard SubClass: Resp. Guide Page:
- Non-Regulated No Information NE

Section 15. Regulatory information

## U.S. Federal Regulations:

#### **CERCLA - SARA Hazard Category**

This product has been reviewed according to the EPA 'Hazard Categories' promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

Specific target organ toxicity (single or repeated exposure)

#### SARA SECTION 312:

Chemical Name	CAS-No.
ETHANOL 100%	64-17-5

#### SARA SECTION 313:

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendment and Reauthorization Act of 1986 and 40 CFR part 372:

<u>Chemical Name</u>	CAS-No.
MIBK	108-10-1
N-HEXANE 100%	110-54-3
CYCLOHEXANE	110-82-7

## TOXIC SUBSTANCES CONTROL ACT:

All components of this material are listed on the US Toxic Substance Control Act (TSCA inventory).

## U.S. State Regulations:

## NEW JERSEY RIGHT-TO-KNOW:

The following materials are non-hazardous, but are among the top five components in this product.

Chemical Name	CAS-No.
LIMESTONE	1317-65-3
WATER	7732-18-5
MED OIL ALKYD LATEX	Proprietary

#### PENNSYLVANIA RIGHT-TO-KNOW

The following non-hazardous ingredients are present in the product at greater than 3%.

Chemical Name	CAS-No.
LIMESTONE	1317-65-3
WATER	7732-18-5
MED OIL ALKYD LATEX	Proprietary

#### **CALIFORNIA PROPOSITION 65 CARCINOGENS**



The following ingredients present in the product are known to the state of California to cause Cancer:

Chemical Name	CAS-No.
TITANIUM DIOXIDE	13463-67-7
MIBK	108-10-1

#### CALIFORNIA PROPOSITION 65 REPRODUCTIVE TOXINS

The following ingredients present in the product are known to the state of California to cause birth defects, or other reproductive hazards.

No Proposition 65 Reproductive Toxins exist in this product.

## International Regulations: As follows -

#### CANADIAN WHMIS:

All components of this material are listed on the Domestic Substance List.

WHMIS Class: No Information

## Section 16. Other information, including date of preparation of the last revision

Revision Date:	4/10/2024	Supercedes Date:	9/26/2022
Reason for revision:	Product Composition Changed Substance Hazardous Flag Changed Substance Hazard Threshold % Changed Substance and/or Product Properties Cha 01 - Product Information 02 - Hazards Identification 09 - Physical & Chemical Information 15 - Regulatory Information		
Datasheet produced by:	Regulatory Department		
HMIS Ratings:			

Health: 1 Flammability: 0 Reactivity: 0 Personal Protection: X
--

77

Volatile Organic Compounds, gr/ltr:

## Text for GHS Hazard Statements shown in Section 3 describing each ingredient:

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H370	Causes damage to organs . Classified Category 1 Substances that produced significant toxicity in humans and evidence to produce significant toxicity with single exposure. Cell death, adverse change in biochemistry, haematology or urinalysis parameters, Central or peripheral nervous system and effects senses. multifocal or diffuse necrosis, fibrosis or granuloma formation in organs.

#### Icons for GHS Pictograms shown in Section 3 describing each ingredient:



Legend: N.A. - Not Applicable, N.E. - Not Established, N.D. - Not Determined, N.I. - No Information

No Information